


# optimum filter

## Filter Data Sheet

### High Efficiency Microfiber Liquid Filter Bags

#### High Efficiency Microfiber Filter Bags

- Micron ratings from 1.0 to 50.0
- All industry-standard and custom sizes available
- Choice of steel or molded plastic snap-seal V-rings
- Broad chemical compatibility
- Excellent oil-absorbing capabilities (POMF)
- Handles standard on all bags
- Efficiency ratings to 95.0%



#### High Efficiency Bag Materials

Microfiber materials provide high efficiencies at low micron ratings. Multi-layer technology results in true graded - density filtration, delivering significantly increased loading capacities and lower overall filtration costs.

#### High Efficiency Bag Styles

- Standard ring bags have a galvanized steel ring (stainless steel optional) sewn in the top of the bag.
- V-ring bags have a molded plastic ring sewn to the filter bag.

High Efficiency Materials (95.0%)	Micron Ratings					
	1A	2A	5A	10A	25A	50A
Polypropylene	•	•	•	•	•	•
Polyester	•	•	•	•	•	•

#### Ordering Information

G	Media Type	Micron Rating	Cover/Jacket	Bag Dimensions			Ring Type
				Size	Diam.	Length	
	POMF = Polypropylene	1A	P = Standard				S = Standard steel ring
	PEMF = Polyester	2A		1 =	7.06	16.5	SS = Stainless steel ring
		5A		2 =	7.06	32.0	V = High - temp plastic snap-seal
		10A		3 =	4.12	8.0	C = Commercial - style band (C1 & C2 only)
		25A		4 =	4.12	14.0	
		50A		7 =	5.5	15.0	
				8 =	5.5	20.0	
				9 =	5.5	31.0	
				C1 =	7.31	16.5	
				C2 =	7.31	32.5	
				12 =	8.0	30.0	

3725 Interpark Drive • Colorado Springs, CO 80907

Phone: 719-260-5694 • Fax: 719-260-5944 • [www.optimumfilter.com](http://www.optimumfilter.com)